



Corrigendum

Please refer our tender ATDC/NHO/RP/SMART/05/33/TE-04 Dated 19.05.2015.

The submission date of Techno-Financial Bids has been extended up to 09.06.2015. The bids should reach to the undersigned before 3.00 p.m. on 09.06.2015. The additional terms & conditions to be read as:

1. OEM CERTIFICATE shall be submitted with technical bid by all the prospective bidders.
2. The decision of ATDC for awarding contract shall be final.

Rest all the terms & conditions of tender remain unchanged.

The detailed specifications of items are given as hereunder.

Compatibility of Items Required & Quoted Items to be Submitted along with TECHNICAL BID in below format:

<u>Configuration for Desktops</u>		<u>Specifications of Quoted Item</u>
Processor	Intel Core i3-4th Gen (3.4 GHz, 3 MB) or Higher	
Chipset	Intel H 67 or Better	
Hard disk	1 TB SATA HDD,7200 rpm	
RAM	4 GB 1333 MHz DDR3, RAM with 16 GB Expendability	
Speaker	Inbuilt in monitor	
Mouse	Optical with USB interface	
Key Board	Keyboard with 104 keys	
Monitor	18.5 " wide TFT	
Operating System	Windows 7 Professional Preloaded 64 Bit or better	
Antivirus	Antivirus Quick Heal Total Security Preloaded for 3 years.	
Optical Drive	8x or better DVD/CD ROM Drive	
Misc.	4 PCI (PCI/PCI Express)	
Bays	4 bays, 2 USB Ports.(3.0) & 4 USB Ports 2.0	
Warranty	Three years onsite warranty	


<u>Configuration for Laptops</u>		<u>Specifications of Quoted Item</u>
Processor	Intel Core i3-4 th Gen (1.7 GHz, 3MB) or Higher	
Chipset	Intel HM 65 Chipset or Higher	
System Memory	4 GB 1333 MHz, DDR3 RAM	

Hard Disk	500 GB SATA HDD,5400 rpm	
DVD Writer	Integrated DVD writer	
Wi-Fi	Integrated Wireless LAN 802.11 b/g/n	
I/O/Ports & Other Items	Integrated Camera, Bluetooth, 3 USB, 1 RJ45, Integrated touchpad, Keyboard	
Battery	Battery Backup more than 4 hrs. (Li-on Battery Pack)	
Screen	14.0" HD 16:9 aspect ratio LED Display	
Operating System	Windows 7 Professional Preloaded or better	
Antivirus	Antivirus Quick Heal Total Security Preloaded for 3 years.	
Video Controller	Integrated Intel HD Graphics	
Card Reader	2 in 1 Card Reader	
Warranty	3 Years onsite warranty	
Carry Bag	With Carry Bag	

Specifications of UPS		Specifications of quoted item
Output		
Output Power Capacity	540 Watts 1000VA	
Max Configurable Power	540 Watts 1000 VA	
Nominal Output Voltage	230V +- 10%	
Nominal Output Frequency	50 Hz +- 5%	
Efficiency at Full Load	95.0%	
Topology	Line Interactive	
Waveform Type	Stepped approximation to a sine wave	
Output Connections		
With Surge Protection	India 2/3-pin 6A – 1 no	
From Battery Backup	India 2/3-pin 6A – 4 nos	
Input		
Nominal Input Voltage	230V	
Input Frequency	47 - 63 Hz	

Input Connections	India 3-pin 6A	
Cord Length	1.75 meters minimum	
Input voltage range for main operations	175 - 295V	
Protection		
Short Circuit	Fuse Protection	
Noise Protection	Noise Filter	
Output Protection	Electronic Active Protection	
Batteries & Runtime		
Battery Type	Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leak proof	
Battery Capacity	12V 7 AH	
Included Battery Modules	2	
Typical recharge time	8 hours to minimum 90% of Capacity	
Output Transfer time	Less than 10 ms	
Back Up Time	Minimum 45 minutes on 80% of load (432W)	
Communications & Management		
Control panel LED status display	On Line On Battery Replace Battery Overload indicators	
Audible Alarm when on battery	distinctive	
low battery alarm	configurable delays	
Environmental		
Operating Environment	0 - 40 °C	

Operating Relative Humidity	0 - 95%	
Operating Elevation	0-3000 meters	
Storage Temperature	-5 - 45 °C	
Storage Relative Humidity	0 - 95%	
Storage Elevation	0-10000 meters	
Audible noise	at 1 meter from surface of unit 43.00 dBA	
Online Thermal Dissipation	170.00 BTU/hr	
Warranty		
Standard Warranty	2 years repair or replacement	
Battery Warranty	1 Year Replacement	



(Rakesh Kumar Balyan)
Purchase Officer

Date:03.06.2015